



Technical Parameters

Model	Opening Size	VOL (Ltrs.)	Size Parameters (mm)										Base	Weight (kg)	
			D1	D	H±6	H1	H2	L	F	WA	WLA	WB			WLB
14X52	T 4"	115.3	359	369	1336	1331	1060	190	100	8	4	6	2	Standard	11±0.8
14X65	T 4"	146.8	359	369	1661	1656	1390	190	100	8	4	6	2	Standard	13.4±0.8



4"-8UN	internal thread
Middle Dia	3.918-3.930"
Min Dia	3.865-3.875"
Max Dia	4.000-4.010"

Remark
 1. Product type identification see outer packaging logo.
 2. The product color is consistent with the color of the tape packaging box.

Note

- The vacuum valve must be installed on the device.
- Operation Instructions
 A. Max working pressure: 8bar (125Psi)
 B. Temperature Range: 1-50°C (34-127°F)
 C. Maximum vacuum: 17Kpa (5" Hg)

Sign			Hebei Chengda WaterTechnology Co., Ltd.		
Designer	Signature	Date	Material	FRP	Projection
Review	Jingwei Hu	2024. 7. 16	Model	14" up 4"	Name: FRP tank
Approve		2024. 7. 18	Version number: 00	Description of Change Version	Drawing No. CD-22-09-27/01
Please don't measure the size of the drawing			Unit: mm	1 Page	Page 1