



Technical Parameters

| Model | Opening Size | VOL (Ltrs.) | Size Parameters (mm) | | | | | | | | | | | Base | Weight (kg) |
|-------|--------------|----------------|----------------------|-----|------|------|------|-----|-----|----|-----|----|-----|------------|----------------|
| | | | D1 | D | H±10 | H1 | H2 | L | F | WA | WLA | WB | WLB | | |
| 14×52 | T/B 4" | 115.3 | 359 | 346 | 1520 | 1311 | 1060 | 263 | 100 | 8 | 4 | 6 | 2 | Triangular | 11.6±0.8 |
| 14×65 | T/B 4" | 146.8 | 359 | 346 | 1850 | 1641 | 1390 | 263 | 100 | 8 | 4 | 6 | 2 | Triangular | 14±0.8 |



| | |
|------------|-----------------|
| 4"-8UN | internal thread |
| Middle Dia | 3.918-3.930" |
| Min Dia | 3.865-3.875" |
| Max Dia | 4.000-4.010" |

Note

- The vacuum valve must be installed on the device.
- Operation Instructions
 - A. Max working pressure: 8bar (125Psi)
 - B. Temperature Range: 1-50°C (34-127°F)
 - C. Maximum vacuum: 17Kpa (5" Hg)

Remark

- Product type identification see outer packaging logo.
- The product color is consistent with the color of the tape packaging box.

| | | | | | |
|----------|---------------|---|--|-------------------------------|----------------------------|
| Sign | | Hebei Chengda WaterTechnology Co., Ltd. | | | |
| | Signature | Date | Material | FRP | Projection |
| Designer | Chengyang Sun | 2024. 7. 16 | Model | 14" up and down 4" | Name: FRP tank |
| Review | Jingwei Hu | 2024. 7. 18 | Version number: 00 | Description of Change Version | Drawing No. CD-22-09-27/01 |
| Approve | | | Please don't measure the size of the drawing | | Unit: mm |
| | | | 1 Page | | Page 1 |