


Technical Parameters															
Model	Opening Size	VOL (Ltrs.)	Size Parameters (mm)											Base	Weight (kg)
			D1	D	H \pm 10	H1	H2	L	F	WA	WLA	WB	WLB		
21X62	T/B 4"	307.8	541	530	1750	1570	1229	304	100	7	3	7	2	Triangular	23 \pm 2



4"-8UN internal thread
Middle Dia 3.918-3.930"
Min Dia 3.865-3.875"
Max Dia 4.000-4.010"

Note:

- The vacuum valve must be installed on the device.
- Operation Instructions:
 - A. Max working pressure 8Bar (125Psi)
 - B. Temperature Range: 1-50°C (34-127°F)
 - C. Maximum vacuum: 17Kpa (5" Hg)

Remark

- Product type identification see outer packaging logo.
- The product color is consistent with the color of the tape packaging box.

Sign		Hebei Chengda WaterTechnology Co., Ltd.			
	Signature	Date	Material:	FRP	Projection: $\begin{matrix} \text{---} \\ \oplus \end{matrix}$
Designer	Chengyang Sun	2024.07.18	Model:	21", 4"T/B	Name: FRP tank
Review	Jingwei Hu	2024.07.18	Version number: 00	Description of Change Version	Drawing No.: CD-22-09-27/26
Approve			Please don't measure the size of the drawing		Unit: mm 1 Page Page 1